Homes by Orange – Specifications Agreement

Build Specification for 30 Wakanini Place, Mapua, Tasman

General

This schedule and works should be read in conjunction with the plans. Where any ambiguity occurs, this schedule shall take precedence.
All work is to be completed in accordance with the schedule of materials and works best industry practice, including the NZ building code and the
relevant acceptable solutions.
The pictures shown in this schedule are an example only to give an indication of the product and the wording is to take precedence over any image.
Build covered by Master Builders 10 year guarantee (NB: Transfer of guarantee in to your name is at your own cost)
Maintenance period shall be 365 days from the possession date

Customer's Initial _____

Foundations and Excavations

SPECIFICATION	DESCRIPTION	NOTES	IMAGE
Retaining walls	None.		
Floor	Mesh reinforced concrete.		1
Patio floor	8m2 of plain coloured concrete included.		
Finish to foundation	Fair face concrete as poured by contractor.		

Customer's Initial _____

Exterior and Framing

DESCRIPTION	NOTES	IMAGE
Specialised 50mm Ezy Panel Plaster System	Colour: Manorburn	2
		3
Genia Timber	Colour: Factory coat only	4
Genia Timber	Colour: Factory coat only	4
Twin gable roof.		5
90x45 MSG8 H1.2 KD frames and trusses. Studs at 600 crs, Dwangs a	at	
800crs and Trusses at 900 crs.		
123m2 of exposed aggregate concrete included.		
(also includes 11 x steps from driveway to entry).		
Basic landscaping and fencing included & steps from driveway to		
entry.		
35m2 of deck included		
	Specialised 50mm Ezy Panel Plaster System James Hardie Stria Board Genia Timber Genia Timber Twin gable roof. 90x45 MSG8 H1.2 KD frames and trusses. Studs at 600 crs, Dwangs a 800crs and Trusses at 900 crs. 123m2 of exposed aggregate concrete included. (also includes 11 x steps from driveway to entry). Basic landscaping and fencing included & steps from driveway to entry.	Specialised 50mm Ezy Panel Plaster System Colour: Manorburn Genia Timber Colour: Factory coat only Genia Timber Colour: Factory coat only Twin gable roof. 90x45 MSG8 H1.2 KD frames and trusses. Studs at 600 crs, Dwangs at 800crs and Trusses at 900 crs. 123m2 of exposed aggregate concrete included. (also includes 11 x steps from driveway to entry). Basic landscaping and fencing included & steps from driveway to entry.

Customer's Initial	
Consultant's Initial	

Date:	
Date:	

Roofing

DESCRIPTION	NOTES	IMAGE
Coloursteel Endura (standard colours)	Colour: Grey Friars	
Corrugated .40 Coloursteel Endura	Profile: Corrugated	6
Heavy duty roofing underlay.		
30° pitch. 3° pitch over entry.	High wind zone allowance included.	
F180 fascia system gutter with PVC downpipes.	Profile: Quarter Box	7
	Colour: Grey Friars	
BGC Durasheet	Colour: Manorburn	8
Colour steel Gutter/Fascia		
Coloured Marley downpipes	Colour: Grey Friars	
	Coloursteel Endura (standard colours) Corrugated .40 Coloursteel Endura Heavy duty roofing underlay. 30° pitch. 3° pitch over entry. F180 fascia system gutter with PVC downpipes. BGC Durasheet Colour steel Gutter/Fascia	Coloursteel Endura (standard colours) Colour: Grey Friars Corrugated .40 Coloursteel Endura Profile: Corrugated Heavy duty roofing underlay. 30° pitch. 3° pitch over entry. High wind zone allowance included. F180 fascia system gutter with PVC downpipes. Profile: Quarter Box Colour: Grey Friars BGC Durasheet Colour: Manorburn Colour steel Gutter/Fascia

Customer's Initial	
Consultant's Initial	

Date:	
Date:	

Exterior Joinery

SPECIFICATION	DESCRIPTION	NOTES	IMAGE
Window type	11 window units.	Refer attached quote and specs sheet for detail and initial.	
	2 hinged door units.		
	4 sliding door units.	Colour: Grey Friars	
	Colour match handles on aluminium doors.		
	6 x Velux Skylights as per plan		
Window/door liners	Paint grade flat pine window liners	Colour: White	
Rebated doors	All external doors rebated.	(Excluding single garage access door)	
Garage Door/s	4800mm Dominator Insulated Sectional Garage	Colour: Grey Friars	9
	Door (Standard colour range)	Profile: Valero	
Front door	Parkwood Platinum TGV Flush 860mm Door leaf with Parkwood 805 E-lok & Bridge set	Colour: Grey Friars	10
Cat door	Not included.		
Tint glass	Not included.		
Double glazing	Double glazed glass on standard aluminium joinery		
	(including garage).		
Pergolas	No allowance has been made.		

Customer's Initial	
Consultant's Initial	

Date: _	
Date:	

Insulation and Heating

SPECIFICATION	DESCRIPTION	NOTES	IMAGE
Floor	Moist stop 250micron polythene moisture barrier.		
Walls	R2.4 pink batts	No batts to garage exterior walls.	
Ceiling	R3.6 pink batts	Excluding garage.	
Heating	Fujitsu SET ASTG45 LHTA (Ducted System)	Heating capacity: 14.0kw	
		Cooling capacity: 12.5kw	
Fire	Not within this plan.		
Solar	Not within this plan.		

Flooring

SPECIFICATION	DESCRIPTION	NOTES	IMAGE
Carpet	"Andes Peak SDN Textured Carpet" to lounge, office, 4 bedrooms including robes	Colour: Patilla	
	and hallway over 11mm 120kg luxury foam underlay & smooth edge.		
	"Crazy" carpet to garage.		
Laminate flooring	"Euro Deluxe V4 laminate" to living, dining, kitchen, scullery & entry.	Colour: Desert Greige Oak	
Tiles	"600x600 Silver or Gold Builders Range tiles" Ensuite floor including 100mm coving	Colour: Milano Bianco Matt	
	& 2 x shower walls to 2550mm high including tiling full length of the vanity wall.	Grout: Magellan Grey	
	Bathroom floor including 100mm coving & 2 x shower walls to 2550mm high		
	including full length of the vanity wall. WC floor only.		

Customer's Initial	
Consultant's Initial	

Date:	
Date:	

Interior Details

SPECIFICATION	DESCRIPTION	NOTES	IMAGE
Ceiling Battens	Steel		
Lining	10mm Gib Wall Lining		
	13mm Gib Ceiling Lining throughout		
	Aqualine to bathroom ceilings and walls		
Garage	10mm Gib board		
Stopping	Level 4 Paint Grade stopping throughout		
Corners	Square Corners		
Coving	Square Stopped		10
Ceiling Heights	2.55m		
Additional Interior	Bulkhead in kitchen		
features	1 x grooved MDF feature walls in Bedroom 1, 4 & office		
	3 x hardiegroove internal walls in ensuite, bathroom & WC		
	1 x Genia Egmont EG03 profile feature wall in lounge & entry		
	Genia Exterior Pine 90mm under alfresco		
	Scissor Trusses to alfresco, living & dining		
Skirting	90 x 12mm Bevelled MDF with Pine in 'wet' areas		11
Architrave	60 x 12mm Bevelled MDF to all windows and doors with Pine in 'wet' areas		12
Doors	V-Grooved interior doors with paint finish, in MDF grooved jambs.	Profile: Merivale	13
Internal door	Miles Nelson S Range	Profile: Shiloh, Sara, Sienna, Skyler	14 &
hardware	-	Colour: Including door stops and cavity slider ha	ndles 15
Door jambs	MDF flat with pine to wet areas		
Customer's Initial		D	ate:
Consultant's Initial		D	ate:

Cavity Sliders	Yes 4 – scullery, WIR, ensuite & lounge	Pull handle Profile: TBC	
		Colour: TBC	
Roof Access	Drop down ladder in garage	Attic Trusses above garage	
Paint	Dulux		
Drapes	No allowance.		
Linen Cupboard	4 MDF Shelves in linen & store cupboards		
Wardrobes	Re Space joinery in all 4 bedrooms		17
Wardrobe Doors	Sliding V-Groove interior doors with paint finish	Profile: Merivale	14
		Colour: TBC	
Kitchen Splashback	Primestone splashback by Bays Joinery	Colour: Finelli	
Study Joinery	By Bays Joinery		

Customer's Initial	
Consultant's Initial	

Date:	
Date:	

Bathroom One – Ensuite

DESCRIPTION	NOTES	IMAGE
Tile & Glass shower as per plan	Trim & shower hardware to match tapware colour	18
	Tiled rear channel waste	
Caroma Cleanflush back to wall toilet with soft	White	19
close seat	Brushed Nickel Flush Button	
Evoke toilet roll holder	Colour: Brushed Nickel	20
Forma Opaco 1200mm Wall Hung Vanity with 2	Colour: TBC Handles: TBC	21
Drawers	Top: 2 x Moon Kordura Counter Top Basins	
	Waste: Brushed Nickel	
Broadway LED Mirror	Above vanity	22
Elementi Uno Mains Pressure Shower Mixer	Colour: Brushed Nickel	23
Elementi Splash Plus Round Column Shower Slide (with dumper)	Colour: Brushed Nickel	24
Elementi Uno All Pressure Extended Height Basin	Colour: Brushed Nickel	25
7 Bar Ladder Heated Towel Rails by Electrician	Colour: Brushed Nickel	26
	Tile & Glass shower as per plan Caroma Cleanflush back to wall toilet with soft close seat Evoke toilet roll holder Forma Opaco 1200mm Wall Hung Vanity with 2 Drawers Broadway LED Mirror Elementi Uno Mains Pressure Shower Mixer Elementi Splash Plus Round Column Shower Slide (with dumper) Elementi Uno All Pressure Extended Height Basin Mixer	Tile & Glass shower as per plan Trim & shower hardware to match tapware colour Tiled rear channel waste Caroma Cleanflush back to wall toilet with soft close seat White Brushed Nickel Flush Button Evoke toilet roll holder Colour: Brushed Nickel Forma Opaco 1200mm Wall Hung Vanity with 2 Colour: TBC Handles: TBC Top: 2 x Moon Kordura Counter Top Basins Waste: Brushed Nickel Broadway LED Mirror Above vanity Elementi Uno Mains Pressure Shower Mixer Colour: Brushed Nickel Colour: Brushed Nickel

Customer's Initial	
Consultant's Initial	

Date:	
Date:	

Bathroom Two – Main Bath

SPECIFICATION	DESCRIPTION	NOTES	IMAGE
Shower	Tile and glass shower as per plan	Trim & Door hardware to match tapware colour	18
		Tiled rear channel waste	
Vanity	Forma Opaco Wall Hung 900mm Vanity with 1	Colour: TBC Handle: TBC	20
	Drawer	Top: Moon Kordura Counter Top Basin	
		Waste: Brushed Nickel	
Mirror	Broadway LED Mirror	Above vanity	22
Shower Mixer	Elementi Uno Shower Mixer	Colour: Brushed Nickel	23
Slide Shower	Elementi Splash Plus Round Column Shower Slide (With dumper)	Colour: Brushed Nickel	24
Basin Mixer	Elementi Uno All Pressure Extended Height Basin Mixer	Colour: Brushed Nickel	24
Towel Rail	7 Bar Ladder Heated Towel Rails by Electrician	Colour: Brushed Nickel	26
Bath	Newtech Indus 1700mm back to wall bath	Colour: White	27
Bath Spout	Elementi Uno Mains Pressure Wall Mounted Bath spout	Colour: Brushed Nickel	28

Customer's Initial	
Consultant's Initial	

Separate Toilet

SPECIFICATION	DESCRIPTION	NOTES	IMAGE
Toilet roll holder	Evoke toilet roll holder	Colour: Brushed Nickel	20
Vanity	Email 440mm Wall hung Basin	Colour: TBC	
		Waste: Brushed Nickel	
Mirror	Not in this design		
Toilet	Caroma Cleanflush back to wall toilet with soft close	White	19
	seat	Brushed Nickel Flush Button	
Basin Mixer	Elementi Uno Basin Mixer	Colour: Brushed Nickel	
Towel Rail	Not in this design		

Customer's Initial	
Consultant's Initial	

ate:	
ate:	

Plumbing and Laundry

DESCRIPTION	NOTES	IMAGE
N/A		
Laundry joinery by Bays Joinery		
Elementi Uno Gooseneck Sink Mixer	Colour: Brushed Nickel	30
Town supply		
20mm		
In hallway cupboard		
250L	Electric mains pressure, solar ready cylinder	
Plumbing included		
Plumbing included		
One and Half Bowl and Drainer		
Elementi Uno Goose Neck Pull Out Sink Mixer	Colour: Brushed Nickel	31
Elementi Uno Goose Neck Sink Mixer	Colour: Brushed Nickel	30
3 included in this design		
Polybutylene pipework		
Included		
		Date:
		Date:
	N/A Laundry joinery by Bays Joinery Elementi Uno Gooseneck Sink Mixer Town supply 20mm In hallway cupboard 250L Plumbing included Plumbing included One and Half Bowl and Drainer Elementi Uno Goose Neck Pull Out Sink Mixer Elementi Uno Goose Neck Sink Mixer 3 included in this design Polybutylene pipework Included	N/A Laundry Joinery by Bays Joinery Elementi Uno Gooseneck Sink Mixer Colour: Brushed Nickel Town supply 20mm In hallway cupboard 250L Electric mains pressure, solar ready cylinder Plumbing included Plumbing included One and Half Bowl and Drainer Elementi Uno Goose Neck Pull Out Sink Mixer Colour: Brushed Nickel Elementi Uno Goose Neck Sink Mixer Colour: Brushed Nickel 3 included in this design Polybutylene pipework Included

Appliances

SPECIFICATION	DESCRIPTION	NOTES	IMAGE
Cook Top	Smeg 90cm Induction Cooktop	Stainless Steel Surround	32
Oven	Smeg 60cm Pyrolytic Oven	Stainless Steel	33
Rangehood	Smeg 90cm Powerpack	Stainless Steel	34
Waste Disposal	Applico GAWD		35
Dishwasher Type	Smeg 60cm freestanding dishwasher	Stainless Steel	36

Customer's Initial	
Consultant's Initial	

Date:	
Date:	

Contract Exclusions

- □ Drapes
- Letterbox
- ☐ Clothesline

Customer's Initial _____

Image Library

Image 1	Image 2	Image 3	Image 4
Image 5	Image 6	Image 7	Image 8
	Corrugated: 762mm effective cover sheet width 838mm	120 Box:	

Customer's Initial	
Consultant's Initial	

Image 9	lmage 10	Image 11	Image 12
			12mm 90mm
Image 13	Image 14	Image 15	Image 16
			The use of Range butters contemporary least designs contributed with advanced engineering and questy musticating the contribute of the contributed with advanced engineering and questy musticating the contributed with advanced engineering and questy mustication. Sara SARSES France point SARSES France point SARSES France point SERVIER Province for SARSES SERVIER Province for SARSES SERVIER SERV

Customer's Initial	
Consultant's Initial	

Date:	
Date:	

Image 17	lmage 18	lmage 19	Image 20
re space	2000 2000		
Image 21	Image 22	Image 23	Image 24

Customer's Initial
Consultant's Initial

Image 25	Image 26	Image 27	Image 28
		Select Colour - Satin Finish Thermoform 1 Select Colour - Satin Finish Thermoform 2 Select Colour - Satin Finish Thermoform 2 Select Colour - Satin Finish Thermoform 3 Select Colour - Satin Fin	
Image 29	Image 30	Image 31	Image 32

Customer's Initial	
Consultant's Initial	

Image 33	Image 34	Image 35	Image 36
		APPLICO!	

Customer's Initial _____

Agreement

Ithe contents within this docume	have had the contents of this document explained to me and I am signient and all attached documents as outlined on page two.	ng this to say that I understand and agree with all of
Signature		
Date		
Homes by Orange Staff Membe	er	
Name		
Signature		
Date		
Customer's Initial		Date:
Consultant's Initial		Date: